

DAFTAR PUSTAKA

- Barnett A, Smith B, Lord SR, Williams M, Baumand A. 2003. Community-based group exercise improves balance and reduces falls in at-risk older people: A randomised controlled trial. *Age Ageing*.
- Batson, G. (2008). Proprioception. *International Association for Dance Medicine and Science*.
- Bohannon, R. W. (2015). Reference Values for the Timed Up and Go Test: A Descriptive Meta-Analysis: *Journal of Geriatric Physical Therapy*. Lww. Retrieved from http://journal.lww.com/jgpt/Fulltext/2006/08000/Reference_Values_for_the_Timed_Up_and_Go_Test_A.4.aspx%0Ahttp://files/290/Reference_Values_for_the_Timed_Up_And_Go_Test_A.4.html.
- Cadore, E. L., & Rodri, L. (2013). Effects of Different Exercise Interventions on Risk of Falls, Gait Ability , and Balance in Physically Frail Older Adults : A Systematic Review, *16*(2). <https://doi.org/10.1089/rej.2012.1397>.
- Clemson L, Fiatarone Singh MA, Bundy A, Cumming RG, Manollaras K, O'Loughlin P, Black D. 2012. Integration of balance and strength training into daily life activity to reduce rate of falls in older people (the LiFE study): Randomised parallel trial. *BMJ* doi: 10.1136/bmj.e4547.
- Domholdt, E. (2000). *Physical Therapy Research: Principles and Applications* (2nd ed.). Philadelphia : W.B saunders Company.
- Freiberger E, Ha" berle L, Spirduso WW, Rixt Zijlstra GA. 2012. Long-term effects of three multicomponent exercise interventions on physical performance and fall-related psychological outcomes in community-dwelling older adults: A randomized controlled trial. *J Am Geriatr*
- Hagedorn DK, Holm E. 2010. Effects of traditional physical training and visual computer feedback training in frail elderly patients. A randomized intervention study. *Eur J Phys Rehabil Med*.
- Hakim, A.R., Soegiyanto, dan Soekardi. (2013). Pengaruh Usia dan Latihan *Kebidanan dan Keperawatan*, Vol. 9, No. 2, Desember 2013: 183-192.
- Halvarsson, A., & Dohrn, I. (2015). Taking balance training for older adults one step further : the rationale for and a description of a proven balance training programme. <https://doi.org/10.1177/0269215514546770>.
- Karanicolas, P.J., Farrokhyar, F., Bhandari, M., (2010). Practical tips for surgical research: blinding: Who, what, when, why, how? *Canadian Journal of Surgery*, 53(5), 345.

- Kementrian Kesehatan RI. (2016). Situasi Lansia Usia di Indonesia. Jakarta: InfoDATIN.
- Kementrian Kesehatan RI. (2017). Analisis Lansia Indonesia.
- Keseimbangan Terhadap Kemampuan Motorik Kasar Anak Tunagrahita Kelas Bawah Mampu Didik Sekolah Luar Biasa. *Journal of Physical Education and Sports*, Vol. 2, No. 1, hlm. 200-204.
- Kim HK, Susuki T, Saito K, Yoshida H, Kobayashi H, KatoH, Katayama M.2012. Effects of exercise and amino acid supplementation on body composition and physical function in community-dwelling elderly japanese sarcopenic women: a randomized controlled trial. *J Am Geriatr*.
- Kisner, Carolyn & Colby, Lynn Allen . (2013). *Therapeutic Exercise Foundations And Techniques, 6th Edition*, F.A. Davis Company: Philadelphia.
- Lord SR, Castell S, Corcoran J, Dayhew JD, Matters B, Shan A, Williams P. 2003. The effect of group exercise on physical functioning and falls in frail older people living in retirement villages: A randomized controlled trial. *J Am Geriatr*.
- Maryam, R. S. (2013). *Pedoman Pencegahan Jatuh Bagi Lansia di Rumah*. Jakarta: Poltekkes Kemenkes.
- Nisfiannoor, M. (2009). *Pendekatan Statistik Modern*. Jakarta : Salemba Hunanika.
- Nugraha *et al*,. 2016. Pelatihan 12 *Balance Exercise* Lebih Meningkatkan Keseimbangan Dinamis Daripada *Balance Strategy Exercise* Pada Lansia Di Banjar Bumi Shanti, Desa Dauh Puri Kelod, Kecamatan Denpasar Barat. *Majalah Ilmiah Fisioterapi*.
- Nugrahani, P.N. (2014). Latihan Jalan Tandem Lebih Baik Daripada Latihan Dengan Menggunakan Swiss Ball Terhadap Peningkatan Keseimbangan Untuk Mengurangi Resiko Jatuh Pada Lanjut Usia (LANSIA). *Jurnal Fisioterapi*, Volume 14, Nomor 2, Oktober 2014.
- Nursalam. (2013). *Metodologi Penelitian Ilmu Keperawatan: Pendekatan Praktis*. Edisi 3. Jakarta: Salemba Medika.
- Panich, *et al*, (2015). Effect of 4 week simple balance exercise on balance ability in thai elderly, (August).
- Renjith, V. (2017). Review papers Blinding in Randomized Controlled Trials : What researchers need to know ?, (January).

- Rose, D. J. (2010). *Fallproof!: a Comprehensive Balance and Mobility Training Program*. 2nd ed. United States of America: Human Kinetics.
- Santoso, H. dan Ismail, A. (2010). *Memahami Krisis Lanjut Usia: Uraian Medis dan Pedagogis-Pastoral*. Jakarta: Gunung Mulia.
- Stanley, M., dan Beare, P. G. (2012). *Buku Ajar Keperawatan Geronik*. Jakarta : EGC.
- Suhartati, C. dan Asnindari, L.N. (2013). Risiko Jatuh pada Lanjut Usia yang Mengikuti Senam dengan yang Tidak Mengikuti Senam.
- Talkowski *et al.*, 2008. *Impact Of Health Perception, Balance Perception, fall history, Balance Performance, and Gait Speed on Walking Activity in Older Adults*. *Physical Therapy*, 88 (12), pp. 1474-1481.
- Thiamwong, L., & Suwanno, J. (2014). Effects of Simple Balance Training on Balance Performance and Fear of Falling in Rural Older Adults *. *International Journal of Gerontology*, 8(3), 143–146. <https://doi.org/10.1016/j.ijge.2013.08.011>.
- Wijayanti. (2008). Hubungan Kondisi Fisik Rtt Lansia Terhadap Kondisi Sosial Lansia Di Rw 03 Rt 05 Kelurahan Tegalsari, Kecamatan Candisari,Semarang. *Jurnal Ilmiah Perancangan Kota Dan Permukiman*, 7(1).